

Maximize to Strong

**FEATURES**

Arm pad is angled for stability and  
Limits unwanted shoulder movement  
Pivot is positioned for ideal alignment  
And angled handgrips reduce wrist strain

**MUSCLES USED**

Biceps Brachii, Brachialis, Brachioradialis

**MOTION DEVELOPED**

Elbow Flexion



## Camber Curl

## MAXNUM MA-B 1030 S

**FRAME AND CABLES**

|                        |   |
|------------------------|---|
| Oversized Frame Tubing | Yes                                       |
| Frame Finish           | Proprietary two-coat powder process       |
| Cable Transmission     | Internally Lubricated cables and fittings |
| Tube Thickness         | 3.0 mm.                                   |

**WEIGHT STACK**

|   |   |
|---|---|
| Total Stack Weight                      | 64 KG / 141 Lbs   |
| Weight-Stack Pins                       | Magnetic Pins   |
| Points of Adjustment                    | 1 – point design  |
| Guards and pulley Covers                | Stack cover made of acrylic protects                      |
| Self-Lubricating weight stacks Bushings | Solid cold rolled steel plate, with Teflon inner bushings |
| Incremental Weight System               | Yes   |

**USER AMENITIES**

|   |     |
|---|-----|
| Instructional Placards                      | Yes |
| Color-coded Pivots and Points of Adjustment | Yes |
| Personal Storage                            | No  |
| Contoured Seating                           | Yes |

**TECH SPECS**

|                                 |                                      |
|---------------------------------|--------------------------------------|
| Product Dimension ( L x W x H ) | 119 x 89 x 135 / 47.6" x 35.6" x 54" |
| Product Weight                  | 168 kg / 370 lbs                     |
| Certification                   | ISO 9001 , EN 957 Certified          |